

## IN HOUSE FACILITIES AVAILABLE:

- ➔ High Pressure Die Casting (120 to 800 Ton)
- ➔ Powder Coating
- ➔ Injection Molding (7 to 650 Ton)
- ➔ Research & Development Unit
- ➔ CNC & VMC Machining
- ➔ Tool Room
- ➔ 3D Scanner
- ➔ Quality Control & Management Systems
- ➔ Sand Blasting
- ➔ Special Purpose Machines
- ➔ Training Room



AN ISO 9001 : 2015 CERTIFIED CO.



**LED LIGHTING  
FIXTURES  
IP 66 CERTIFIED**

## We are manufacturing a diverse range of:

LED Street Light Fixtures  
LED Flood Light Fixtures  
LED Bulk Head Fixtures  
LED Down Light & Concealed Fixtures  
and other Lighting Fixtures

A COMPLETE SOLUTION  
FOR LED LIGHTING

**FIXTURES**

## COMPANY PROFILE

Aligarh Die Casting Pvt. Ltd. was established in 1993 in Aligarh, Our ideals are to provide the best quality products to our customers as per their expectations through technical excellence & expertise, offering them right casting components solutions and the practice is continuously followed our organization. Our In-house tooling facility for die manufacturing & maintenance along with components finishing capabilities such as CNC, VMC & other machining processes, surface treatment & powder coating process enables us to ensure best in industry quality of products to our customers with minimal lead time & cost.



### OUR VISION

Our Vision leads us to grow as a complete solution provider for LED fixtures & other High Pressure Die Casting components.



### OUR MISSION

Our mission is to achieve industrial excellence by identification & promotion advanced technologies, Quality Standards, Leadership, Innovations & best practices ensuring customer's & employee's satisfaction.



### OUR VALUES

We follow basic human values & treat all our employees with respect fairness. We also adapt the principle of honesty & fairness generating an amusing workplace.

We are motivated by the happiness of our employees thus we always maintain working environment that is dominated by respect, mutual understanding, learning & growth.

We are ethical & reliable by treating fair. honesty in the light of laws and social values and provide confidence with our behaviour and knowledge.

We are solution oriented and do not leave our employees & managers unresolved by examining the problem, finding the root cause and finalising the counter measures & necessary infrastructure.

We follow and encourage innovations thru individual suggestion system to achieve the opinion of all employees and realisation on those ideas of innovations for continual improvement.



## CERTIFICATION

**TÜVINDIA**

# Certificate

Management system as per  
**ISO 9001:2015**

The Certification Body TÜV INDIA PVT. LTD. hereby confirms as a result of the audit, assessment and certification decision according to ISO/IEC 17021-1:2015, that the organization

**ALIGARH DIE CASTING PVT. LTD.**  
Village Ramnagar, Post Mahua, Iglas Mathura Road,  
Aligarh – 202 001, Uttar Pradesh,  
India



operates a management system in accordance with the requirements of ISO 9001:2015 and will be assessed for conformity within the 3 year term of validity of the certificate.

Scope

**Manufacture of Aluminium Die Casted Components.**

Certificate Registration No. **QM 04 00618**  
Audit Report No. **DEL/AUD/24-25/7884**

Valid from **05.02.2025**  
Valid until **05.01.2028**  
Initial certification **06.01.2022**



Visit our database to  
verify the validity of  
this certificate.

Mumbai, **05.02.2025**

Certification Body at TÜV INDIA PVT. LTD.

To verify the validity of this certificate, please visit <https://www.iafcertsearch.org>

TÜV INDIA PVT. LTD.  
801, Raheja Plaza 1, L.B.S Marg,  
Ghatkopar (W) Mumbai – 400 086,  
India  
[www.tuv-nord.com/in](http://www.tuv-nord.com/in)



TÜV®

**TÜVNORDGROUP**

# MANUFACTURING FACILITY



**MELTING FURNACE**



**N<sub>2</sub> DEGASSING**



**MATERIAL TRANSFER**



**DIE CASTING**



**TRAINING ROOM**



**SPECIAL PURPOSE  
MACHINE**



**V.M.C MACHINING**



**Q.A.**




**TOOL DEVELOPMENT TEAM**




**IN-HOUSE TOOL ROOM**

### ADC/SL-710




| MODEL No.  | FIXTURES TYPE                    | SUITABLE   | PIPE DIA            | WEIGHT    |           |
|------------|----------------------------------|------------|---------------------|-----------|-----------|
|            |                                  |            |                     | ALUM.     | TOTAL     |
| ADC/SL-710 | PC LENS<br>(No. OF LENS 32 & 36) | 24-36 WATT | ID 42 TO OD 48 (MM) | 0.251 KG. | 0.327 KG. |

### ADC/SL-712




| MODEL No.  | FIXTURES TYPE                    | SUITABLE   | PIPE DIA            | WEIGHT    |           |
|------------|----------------------------------|------------|---------------------|-----------|-----------|
|            |                                  |            |                     | ALUM.     | TOTAL     |
| ADC/SL-712 | PC LENS<br>(No. OF LENS 50 & 60) | 36-60 WATT | ID 50 TO OD 56 (MM) | 0.359 KG. | 0.442 KG. |

### ADC/SL-714



| MODEL No.  | FIXTURES TYPE                | SUITABLE   | PIPE DIA            | WEIGHT    |           |
|------------|------------------------------|------------|---------------------|-----------|-----------|
|            |                              |            |                     | ALUM.     | TOTAL     |
| ADC/SL-714 | P.C LENS<br>(No. OF LENS 80) | 60-80 WATT | ID 65 TO OD 70 (MM) | 0.451 KG. | 0.600 KG. |

### ADC/SL-716



| MODEL No.  | FIXTURES TYPE                 | SUITABLE    | PIPE DIA            | WEIGHT    |           |
|------------|-------------------------------|-------------|---------------------|-----------|-----------|
|            |                               |             |                     | ALUM.     | TOTAL     |
| ADC/SL-716 | P.C LENS<br>(No. OF LENS 144) | 90-120 WATT | ID 65 TO OD 70 (MM) | 0.673 KG. | 0.845 KG. |

## LED STREET LIGHT FIXTURES LENS MODELS

### ADC/SL-701



### ADC/SL-703



| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA           | WEIGHT    |           |
|------------|---------------|---------------|--------------------|-----------|-----------|
|            |               |               |                    | ALUM.     | TOTAL     |
| ADC/SL-701 | PC LENS - 30  | 25 to 28 WATT | ID 30 x OD 40 (MM) | 0.255 Kg. | 0.355 Kg. |
| ADC/SL-703 | PC LENS - 50  | 45 to 48 WATT | ID 30 x OD 40 (MM) | 0.348 Kg. | 0.470 Kg. |

### ADC/SL-705




### ADC/SL-707




| MODEL No.  | FIXTURES TYPE | SUITABLE        | PIPE DIA           | WEIGHT           |           |
|------------|---------------|-----------------|--------------------|------------------|-----------|
|            |               |                 |                    | ALUM.            | TOTAL     |
| ADC/SL-705 | PC LENS - 80  | 70 to 80 WATT   | ID 40 x OD 55 (MM) | 0.530 Kg.        | 0.710 Kg. |
| ADC/SL-707 | PC LENS - 144 | 120 to 144 WATT | ID 65 x OD 70 (MM) | 0.680 Kg. APPROX |           |

### ADC/SL-318




| MODEL No.  | FIXTURES TYPE | SUITABLE        | PIPE DIA            | WEIGHT    |           |
|------------|---------------|-----------------|---------------------|-----------|-----------|
|            |               |                 |                     | ALUM.     | TOTAL     |
| ADC/SL-318 | PC LENS       | 250 to 300 WATT | ID 65 TO OD 75 (MM) | 2.575 KG. | 2.720 KG. |

### ADC/SL-316




| MODEL No.  | FIXTURES TYPE | SUITABLE        | PIPE DIA            | WEIGHT    |           |
|------------|---------------|-----------------|---------------------|-----------|-----------|
|            |               |                 |                     | ALUM.     | TOTAL     |
| ADC/SL-316 | PC LENS       | 200 to 230 WATT | ID 60 TO OD 73 (MM) | 2.030 KG. | 2.230 KG. |

### ADC/SL-314



| MODEL No.  | FIXTURES TYPE | SUITABLE        | PIPE DIA            | WEIGHT    |           |
|------------|---------------|-----------------|---------------------|-----------|-----------|
|            |               |                 |                     | ALUM.     | TOTAL     |
| ADC/SL-314 | PC LENS       | 150 to 180 WATT | ID 65 TO OD 75 (MM) | 1.196 KG. | 1.421 KG. |


### ADC/SL-312



| MODEL No.  | FIXTURES TYPE | SUITABLE        | PIPE DIA            | WEIGHT    |           |
|------------|---------------|-----------------|---------------------|-----------|-----------|
|            |               |                 |                     | ALUM.     | TOTAL     |
| ADC/SL-312 | PC LENS       | 100 to 110 WATT | ID 57 TO OD 64 (MM) | 1.180 KG. | 1.305 KG. |


## LED STREET LIGHT FIXTURES LENS MODELS

### ADC/SL-309




| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|---------------|---------------|---------------------|-----------|-----------|
|            |               |               |                     | ALUM.     | TOTAL     |
| ADC/SL-309 | PC LENS       | 60 to 70 WATT | ID 54 TO OD 60 (MM) | 0.692 KG. | 0.758 KG. |

### ADC/SL-308




| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|---------------|---------------|---------------------|-----------|-----------|
|            |               |               |                     | ALUM.     | TOTAL     |
| ADC/SL-308 | PC LENS       | 70 to 80 WATT | ID 50 TO OD 70 (MM) | 0.960 KG. | 0.990 KG. |

### ADC/SL-307



| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|---------------|---------------|---------------------|-----------|-----------|
|            |               |               |                     | ALUM.     | TOTAL     |
| ADC/SL-307 | PC LENS       | 35 to 50 WATT | ID 36 TO OD 40 (MM) | 0.420 KG. | 0.470 KG. |


### ADC/SL-305



| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|---------------|---------------|---------------------|-----------|-----------|
|            |               |               |                     | ALUM.     | TOTAL     |
| ADC/SL-305 | PC LENS       | 24 to 40 WATT | ID 35 TO OD 39 (MM) | 0.380 KG. | 0.420 KG. |


## LED STREET LIGHT FIXTURES LENS MODELS

### ADC/SL-304



| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|---------------|---------------|---------------------|-----------|-----------|
|            |               |               |                     | ALUM.     | TOTAL     |
| ADC/SL-304 | PC LENS       | 18 to 30 WATT | ID 45 TO OD 48 (MM) | 0.304 KG. | 0.390 KG. |

### ADC/SL-315




| MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|---------------|---------------|---------------------|-----------|-----------|
|            |               |               |                     | ALUM.     | TOTAL     |
| ADC/SL-315 | PC LENS       | 30 to 45 WATT | ID 30 TO OD 40 (MM) | 0.376 KG. | 0.455 KG. |

**LED SOLAR STREET LIGHT  
FIXTURE LENS MODEL AND  
PLASTIC PC BACK COVER**

**SOLAR STREET LIGHT  
FIXTURES LENS  
MODELS**




| MODEL No.   | FIXTURES TYPE          | SUITABLE      | PIPE DIA            | WEIGHT   |           |
|-------------|------------------------|---------------|---------------------|----------|-----------|
|             |                        |               |                     | ALUM.    | TOTAL     |
| ADC/SSL-605 | PC LENS No. OF LENS 24 | 12 to 18 WATT | ID 30 TO OD 50 (MM) | 0.790KG. | 0.960 KG. |




## LED SOLAR STREET LIGHT FIXTURE LENS MODEL AND PLASTIC PC BACK COVER

### ADC/SL-315




| MODEL No.  | FIXTURES TYPE                       | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|-------------------------------------|---------------|---------------------|-----------|-----------|
|            |                                     |               |                     | ALUM.     | TOTAL     |
| ADC/SL-315 | LENS TYPE BACK COVER PLASTIC (P.C.) | 30 to 45 WATT | ID 30 TO OD 40 (MM) | 0.230 Kg. | 0.428 Kg. |

### ADC/SSL-605




| MODEL No.   | FIXTURES TYPE                       | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|-------------|-------------------------------------|---------------|---------------------|-----------|-----------|
|             |                                     |               |                     | ALUM.     | TOTAL     |
| ADC/SSL-605 | LENS TYPE BACK COVER PLASTIC (P.C.) | 12 to 30 WATT | ID 30 TO OD 50 (MM) | 0.565 Kg. | 0.854 Kg. |

**LED STREET LIGHT FIXTURES  
WITH POLYCARBONATE GLASS**




| Sr. No. | MODEL No.  | FIXTURES TYPE | SUITABLE      | PIPE DIA             | WEIGHT    |           |
|---------|------------|---------------|---------------|----------------------|-----------|-----------|
|         |            |               |               |                      | ALUM.     | TOTAL     |
| 1.      | ADC/SL-116 | PC GLASS      | 24 to 50 WATT | ID 55 x OD 61 (MM)   | 0.700 Kg. | 0.900 Kg. |
| 2.      | ADC/SL-115 | PC GLASS      | 18 to 40 WATT | ID 43 x OD 47 (MM)   | 0.360 Kg. | 0.490 Kg. |
| 3.      | ADC/SL-101 | PC GLASS      | 06 to 15 WATT | ID 39 x OD 43.5 (MM) | 0.200 Kg. | 0.275 Kg. |


## LED STREET LIGHT FIXTURES WITH POLYCARBONATE GLASS



ADC/SL-115




ADC/SL-116




ADC/SL-101 / ADC/SL-011







**ADC/SL-008 / ADC/SL-004**




**ADC/SL-028**



**ADC/SL-020 / ADC/SL-010**



**ADC/SL-007 / ADC/SL-003**




**ADC/SL-018 / ADC/SL-009**


| Sr. No. | MODEL No.  | FIXTURES TYPE         | SUITABLE        | PIPE DIA             | WEIGHT    |           |
|---------|------------|-----------------------|-----------------|----------------------|-----------|-----------|
|         |            |                       |                 |                      | ALUM.     | TOTAL     |
| 1.      | ADC/SL-008 | METAL FRAME           | 150 to 200 WATT | ID 61 x OD 69 (MM)   | 3.450 Kg. | 3.950 Kg. |
| 2.      | ADC/SL-004 | FULL GLASS WITH CLAMP | 150 to 200 WATT | ID 61 x OD 69 (MM)   | 2.800 Kg. | 3.250 Kg. |
| 3.      | ADC/SL-020 | METAL FRAME           | 100 to 150 WATT | ID 60 x OD 68 (MM)   | 2.120 Kg. | 2.700 Kg. |
| 4.      | ADC/SL-010 | FULL GLASS WITH CLAMP | 100 to 150 WATT | ID 60 x OD 68 (MM)   | 1.640 Kg. | 2.650 Kg. |
| 5.      | ADC/SL-007 | METAL FRAME           | 80 to 120 WATT  | ID 60 x OD 66 (MM)   | 1.900 Kg. | 2.600 Kg. |
| 6.      | ADC/SL-003 | FULL GLASS WITH CLAMP | 80 to 120 WATT  | ID 60 x OD 66 (MM)   | 1.500 Kg. | 2.110 Kg. |
| 7.      | ADC/SL-018 | METAL FRAME           | 60 to 100 WATT  | ID 55.5 x OD 64 (MM) | 1.450 Kg. | 1.850 Kg. |
| 8.      | ADC/SL-009 | FULL GLASS WITH CLAMP | 60 to 100 WATT  | ID 55.5 x OD 64 (MM) | 1.170 Kg. | 1.650 Kg. |
| 9.      | ADC/SL-028 | METAL FRAME           | 80 to 120 WATT  | ID 55 x OD 62 (MM)   | 1.170 Kg. | 1.590 Kg. |




| Sr. No. | MODEL No.  | FIXTURES TYPE         | SUITABLE      | PIPE DIA             | WEIGHT    |           |
|---------|------------|-----------------------|---------------|----------------------|-----------|-----------|
|         |            |                       |               |                      | ALUM.     | TOTAL     |
| 1.      | ADC/SL-006 | METAL FRAME           | 30 to 60 WATT | ID 42 x OD 48 (MM)   | 1.020 Kg. | 1.370 Kg. |
| 2.      | ADC/SL-002 | FULL GLASS WITH CLAMP | 30 to 60 WATT | ID 42 x OD 48 (MM)   | 0.800 Kg. | 1.350 Kg. |
| 3.      | ADC/SL-016 | METAL FRAME           | 24 to 50 WATT | ID 55 x OD 61 (MM)   | 0.865 Kg. | 1.140 Kg. |
| 4.      | ADC/SL-016 | FULL GLASS WITH CLAMP | 24 to 50 WATT | ID 55 x OD 61 (MM)   | 0.700 Kg. | 1.190 Kg. |
| 5.      | ADC/SL-005 | METAL FRAME           | 20 to 45 WATT | ID 43 x OD 48.5 (MM) | 0.545 Kg. | 0.710 Kg. |
| 6.      | ADC/SL-001 | FULL GLASS WITH CLAMP | 20 to 45 WATT | ID 43 x OD 48.5 (MM) | 0.450 Kg. | 0.710 Kg. |
| 7.      | ADC/SL-015 | METAL FRAME           | 18 to 40 WATT | ID 42.5 x OD 47 (MM) | 0.480 Kg. | 0.667 Kg. |
| 8.      | ADC/SL-015 | FULL GLASS WITH CLAMP | 18 to 40 WATT | ID 42.5 x OD 47 (MM) | 0.360 Kg. | 0.680 Kg. |
| 9.      | ADC/SL-011 | FULL GLASS WITH CLAMP | 06 to 15 WATT | ID 26 x OD 30 (MM)   | 0.200 Kg. | 0.400 Kg. |
| 10.     | ADC/SL-025 | FULL GLASS WITH CLAMP | 20 to 40 WATT | ID 47 x OD 52.9 (MM) | 0.480 Kg. | 0.610 Kg. |




ADC/SL-006 / ADC/SL-002




ADC/SL-116 / ADC/SL-016



ADC/SL-005 / ADC/SL-001




ADC/SL-115 / ADC/SL-015




ADC/SL-25

**ADC/SL-201**




| MODEL No.  | FIXTURES TYPE      | SUITABLE      | PIPE DIA            | WEIGHT    |           |
|------------|--------------------|---------------|---------------------|-----------|-----------|
|            |                    |               |                     | ALUM.     | TOTAL     |
| ADC/SL-201 | SLIM LINE PC GLASS | 15 to 30 WATT | ID 40 TO OD 50 (MM) | 0.510 KG. | 0.620 KG. |

**ADC/PL-001**



| MODEL No.  | FIXTURES TYPE           | SUITABLE      | WEIGHT    |           |
|------------|-------------------------|---------------|-----------|-----------|
|            |                         |               | ALUM.     | TOTAL     |
| ADC/PL-001 | METAL FRAME (PIT LIGHT) | 30 to 50 WATT | 1.300 KG. | 2.150 KG. |

ADC/SL-204



| MODEL No.  | FIXTURES TYPE       | SUITABLE      | PIPE DIA | WEIGHT    |           |
|------------|---------------------|---------------|----------|-----------|-----------|
|            |                     |               |          | ALUM.     | TOTAL     |
| ADC/SL-204 | METAL FRAME PC LENS | 48 to 72 WATT | ID 69    | 2.100 KG. | 2.400 KG. |



## LED SPIKE LIGHT FIXTURES





3 WATT



6 WATT



SPIKE 3 WATT




SPIKE 6 WATT





| MODEL No. | SUITABLE | WEIGHT    |           |
|-----------|----------|-----------|-----------|
|           |          | ALUM.     | TOTAL     |
| ADC/SP-3W | 3 WATT   | 0.069 KG. | 0.117 KG. |
| ADC/SP-6W | 6 WATT   | 0.098 KG. | 0.162 KG. |





| Sr. No. | MODEL No.     | FIXTURES TYPE             | SUITABLE      | WEIGHT    |           |
|---------|---------------|---------------------------|---------------|-----------|-----------|
|         |               |                           |               | ALUM.     | TOTAL     |
| 1.      | ADC/WGF - 001 | DIFFUSED / CLEAR PC GLASS | 30 to 50 WATT | 0.333 Kg. | 0.415 Kg. |
| 2.      | ADC/WGF - 002 | DIFFUSED / CLEAR PC GLASS | 60 to 80 WATT | 0.611 Kg. | 0.710 Kg. |



**ADC/WGF - 001**



**ADC/WGF - 002**






**LED LIGHTING FIXTURES  
IP 66 CERTIFIED**


## LED DOB FLOOD LIGHT FIXTURES LENS MODELS

### ADC/DFL-805



| MODEL No.   | FIXTURES TYPE | SUITABLE      | PIPE DIA                  | WEIGHT    |           |
|-------------|---------------|---------------|---------------------------|-----------|-----------|
|             |               |               |                           | ALUM.     | TOTAL     |
| ADC/DFL-805 | PC LENS       | 50 to 60 WATT | 180 DEGREE ROTATING CLAMP | 0.225 Kg. | 0.410 Kg. |

### ADC/DFL-807




| MODEL No.   | FIXTURES TYPE | SUITABLE        | PIPE DIA                  | WEIGHT    |           |
|-------------|---------------|-----------------|---------------------------|-----------|-----------|
|             |               |                 |                           | ALUM.     | TOTAL     |
| ADC/DFL-807 | PC LENS       | 100 to 120 WATT | 180 DEGREE ROTATING CLAMP | 0.396 Kg. | 0.560 Kg. |

## LED FLOOD LIGHT FIXTURES LENS MODELS




| MODEL No.  | FIXTURES TYPE | SUITABLE | MS CRADLE                 | WEIGHT    |           |
|------------|---------------|----------|---------------------------|-----------|-----------|
|            |               |          |                           | ALUM.     | TOTAL     |
| ADC/FL-409 | PC LENS       | 200 WATT | 360 DEGREE ROTATING CLAMP | 2.100 Kg. | 3.050 Kg. |
| ADC/FL-408 | PC LENS       | 150 WATT | 360 DEGREE ROTATING CLAMP | 1.640 Kg. | 2.640 Kg. |
| ADC/FL-407 | PC LENS       | 100 WATT | 360 DEGREE ROTATING CLAMP | 0.960 Kg. | 1.920 Kg. |
| ADC/FL-405 | PC LENS       | 50 WATT  | 360 DEGREE ROTATING CLAMP | 0.750 Kg. | 1.300 Kg. |
| ADC/FL-402 | PC LENS       | 30 WATT  | 360 DEGREE ROTATING CLAMP | 0.495 Kg. | 0.750 Kg. |


## LED FLOOD LIGHT FIXTURES LENS MODELS




**ADC/FL-409**




**ADC/FL-408**



**ADC/FL-407**





**ADC/FL-405**



**ADC/FL-402**

**ADC/FL-412**





| MODEL No.  | FIXTURES TYPE | SUITABLE        | MS CRADLE                 | WEIGHT    |           |
|------------|---------------|-----------------|---------------------------|-----------|-----------|
|            |               |                 |                           | ALUM.     | TOTAL     |
| ADC/FL-412 | PC LENS       | 250 to 300 WATT | 360 DEGREE ROTATING CLAMP | 2.550 Kg. | 3.415 Kg. |


**ADC/FL-609**



| MODEL No.  | FIXTURES TYPE          | SUITABLE     | PIPE DIA                  | WEIGHT    |           |
|------------|------------------------|--------------|---------------------------|-----------|-----------|
|            |                        |              |                           | ALUM.     | TOTAL     |
| ADC/FL-609 | METAL FRAME WITH GLASS | 150-200 WATT | 360 DEGREE ROTATING CLAMP | 2.655 KG. | 3.803 KG. |




### ADC/FL-229




| MODEL No.  | FIXTURES TYPE          | SUITABLE        | PIPE DIA             | WEIGHT    |           |
|------------|------------------------|-----------------|----------------------|-----------|-----------|
|            |                        |                 |                      | ALUM.     | TOTAL     |
| ADC/FL-229 | METAL FRAME WITH GLASS | 150 to 200 WATT | 180° ROTATING CRADLE | 2.155 Kg. | 3.650 Kg. |

### ADC/FL-227




| MODEL No.  | FIXTURES TYPE          | SUITABLE       | PIPE DIA             | WEIGHT    |           |
|------------|------------------------|----------------|----------------------|-----------|-----------|
|            |                        |                |                      | ALUM.     | TOTAL     |
| ADC/FL-227 | METAL FRAME WITH GLASS | 80 to 120 WATT | 180° ROTATING CRADLE | 0.670 Kg. | 1.680 Kg. |


## ADC/FL-225



| MODEL No.  | FIXTURES TYPE          | SUITABLE      | PIPE DIA             | WEIGHT    |           |
|------------|------------------------|---------------|----------------------|-----------|-----------|
|            |                        |               |                      | ALUM.     | TOTAL     |
| ADC/FL-225 | METAL FRAME WITH GLASS | 40 to 60 WATT | 180° ROTATING CRADLE | 0.420 Kg. | 1.245 Kg. |



**ADC/FL-220**




**ADC/FL-222**


| MODEL No.  | FIXTURES TYPE          | SUITABLE      | PIPE DIA             | WEIGHT    |           |
|------------|------------------------|---------------|----------------------|-----------|-----------|
|            |                        |               |                      | ALUM.     | TOTAL     |
| ADC/FL-220 | METAL FRAME WITH GLASS | 10 to 20 WATT | 180° ROTATING CRADLE | 0.240 Kg. | 0.410 Kg. |
| ADC/FL-222 | METAL FRAME WITH GLASS | 20 to 30 WATT | 180° ROTATING CRADLE | 0.415 Kg. | 0.870 Kg. |




| MODEL No.  | FIXTURES TYPE         | SUITABLE        | MS CRADLE                 | WEIGHT    |           |
|------------|-----------------------|-----------------|---------------------------|-----------|-----------|
|            |                       |                 |                           | ALUM.     | TOTAL     |
| ADC/FL-209 | METAL FRAME           | 150 to 200 WATT | 360 DEGREE ROTATING CLAMP | 2.500 Kg. | 4.200 Kg. |
| ADC/FL-109 | FULL GLASS WITH CLAMP | 150 to 200 WATT | 360 DEGREE ROTATING CLAMP | 2.100 Kg. | 4.020 Kg. |
| ADC/FL-208 | METAL FRAME           | 120 to 160 WATT | 360 DEGREE ROTATING CLAMP | 1.640 Kg. | 3.645 Kg. |
| ADC/FL-207 | METAL FRAME           | 80 to 120 WATT  | 360 DEGREE ROTATING CLAMP | 1.210 Kg. | 2.380 Kg. |
| ADC/FL-107 | FULL GLASS WITH CLAMP | 80 to 120 WATT  | 360 DEGREE ROTATING CLAMP | 0.960 Kg. | 2.280 Kg. |
| ADC/FL-205 | METAL FRAME           | 50 to 75 WATT   | 360 DEGREE ROTATING CLAMP | 0.880 Kg. | 1.650 Kg. |
| ADC/FL-105 | FULL GLASS WITH CLAMP | 50 to 75 WATT   | 360 DEGREE ROTATING CLAMP | 0.750 Kg. | 1.620 Kg. |
| ADC/FL-203 | METAL FRAME           | 30 to 50 WATT   | 360 DEGREE ROTATING CLAMP | 0.820 Kg. | 1.270 Kg. |
| ADC/FL-103 | FULL GLASS WITH CLAMP | 30 to 50 WATT   | 360 DEGREE ROTATING CLAMP | 0.720 Kg. | 1.270 Kg. |
| ADC/FL-202 | METAL FRAME           | 20 to 30 WATT   | 360 DEGREE ROTATING CLAMP | 0.495 Kg. | 0.920 Kg. |




**ADC/FL-209 / ADC/FL-109**




**ADC/FL-208**




**ADC/FL-207 / ADC/FL-107**



**ADC/FL-205 / ADC/FL-105**



**ADC/FL-203 / ADC/FL-103**




**ADC/FL-202**

**LED FLOOD LIGHT FIXTURES  
ALUMINIUM / NANO REFLECTOR**




| MODEL No.  | FIXTURES TYPE              | SUITABLE        | MS CRADLE                 | WEIGHT    |           |
|------------|----------------------------|-----------------|---------------------------|-----------|-----------|
|            |                            |                 |                           | ALUM.     | TOTAL     |
| ADC/FL-209 | METAL FRAME WITH REFLECTOR | 150 to 200 WATT | 360 DEGREE ROTATING CLAMP | 2.500 Kg. | 4.350 Kg. |
| ADC/FL-208 | METAL FRAME WITH REFLECTOR | 120 to 160 WATT | 360 DEGREE ROTATING CLAMP | 1.640 Kg. | 3.730 Kg. |
| ADC/FL-207 | METAL FRAME WITH REFLECTOR | 80 to 120 WATT  | 360 DEGREE ROTATING CLAMP | 1.210 Kg. | 2.540 Kg. |
| ADC/FL-205 | METAL FRAME WITH REFLECTOR | 50 to 75 WATT   | 360 DEGREE ROTATING CLAMP | 0.880 Kg. | 1.790 Kg. |
| ADC/FL-202 | METAL FRAME WITH REFLECTOR | 20 to 30 WATT   | 360 DEGREE ROTATING CLAMP | 0.495 Kg. | 1.090 Kg. |


# LED FLOOD LIGHT FIXTURES ALUMINIUM / NANO REFLECTOR




ADC/FL-209 / ADC/FL-109




ADC/FL-208



ADC/FL-207 / ADC/FL-107




ADC/FL-205 / ADC/FL-105




ADC/FL-202

### ADC/FL-212




| MODEL No.  | FIXTURES TYPE        | SUITABLE        | MS CRADLE                      | WEIGHT    |           |
|------------|----------------------|-----------------|--------------------------------|-----------|-----------|
|            |                      |                 |                                | ALUM.     | TOTAL     |
| ADC/FL-212 | METAL FRAME (CANOPY) | 120 to 140 WATT | 180° ROTATING ADJUSTABLE CLAMP | 2.080 Kg. | 3.450 Kg. |

### ADC/FL-202




| MODEL No.  | FIXTURES TYPE | SUITABLE      | MS CRADLE                 | WEIGHT    |           |
|------------|---------------|---------------|---------------------------|-----------|-----------|
|            |               |               |                           | ALUM.     | TOTAL     |
| ADC/FL-202 | MS FRAME      | 12 to 24 WATT | 360 DEGREE ROTATING CLAMP | 0.410 Kg. | 0.884 Kg. |

### ADC/FL-505




| MODEL No.  | FIXTURES TYPE | SUITABLE      | MS CRADLE                 | WEIGHT    |           |
|------------|---------------|---------------|---------------------------|-----------|-----------|
|            |               |               |                           | ALUM.     | TOTAL     |
| ADC/FL-505 | METAL FRAME   | 30 to 50 WATT | 180 DEGREE ROTATING CLAMP | 0.730 Kg. | 1.182 Kg. |

### ADC/FL-508



| MODEL No.  | FIXTURES TYPE | SUITABLE       | MS CRADLE                 | WEIGHT    |           |
|------------|---------------|----------------|---------------------------|-----------|-----------|
|            |               |                |                           | ALUM.     | TOTAL     |
| ADC/FL-508 | METAL FRAME   | 80 to 100 WATT | 180 DEGREE ROTATING CLAMP | 1.355 Kg. | 2.252 Kg. |

### ADC/MF-50



| MODEL No. | FIXTURES TYPE | SUITABLE | MS C-CHANNEL & MS CRADLE                 | WEIGHT    |           |
|-----------|---------------|----------|------------------------------------------|-----------|-----------|
|           |               |          |                                          | ALUM.     | TOTAL     |
| ADC/MF-50 | PC LENS       | 50 WATT  | MS SIDE C-CHANNEL & 180° ROTATING CRADLE | 0.482 Kg. | 0.788 Kg. |

### ADC/MF-400



| MODEL No.  | FIXTURES TYPE | SUITABLE | MS C-CHANNEL & MS CRADLE                 | WEIGHT    |           |
|------------|---------------|----------|------------------------------------------|-----------|-----------|
|            |               |          |                                          | ALUM.     | TOTAL     |
| ADC/MF-400 | PC LENS       | 400 WATT | MS SIDE C-CHANNEL & 180° ROTATING CRADLE | 3.852 Kg. | 7.085 Kg. |

ADC/MF-100



ADC/MF-150



| MODEL No.  | FIXTURES TYPE | SUITABLE | MS C-CHANNEL & MS CRADLE                 | WEIGHT    |           |
|------------|---------------|----------|------------------------------------------|-----------|-----------|
|            |               |          |                                          | ALUM.     | TOTAL     |
| ADC/MF-100 | PC LENS       | 100 WATT | MS SIDE C-CHANNEL & 180° ROTATING CRADLE | 0.964 Kg. | 2.050 Kg. |
| ADC/MF-150 | PC LENS       | 150 WATT | MS SIDE C-CHANNEL & 180° ROTATING CRADLE | 1.445 Kg. | 3.820 Kg. |

ADC/MF-200




ADC/MF-300




| MODEL No.  | FIXTURES TYPE | SUITABLE | MS C-CHANNEL & MS CRADLE                 | WEIGHT    |           |
|------------|---------------|----------|------------------------------------------|-----------|-----------|
|            |               |          |                                          | ALUM.     | TOTAL     |
| ADC/MF-200 | PC LENS       | 200 WATT | MS SIDE C-CHANNEL & 180° ROTATING CRADLE | 1.925 Kg. | 3.792 Kg. |
| ADC/MF-300 | PC LENS       | 300 WATT | MS SIDE C-CHANNEL & 180° ROTATING CRADLE | 2.890 Kg. | 5.485 Kg. |

### ADC/IP-10




| MODEL No. | FIXTURES TYPE         | SUITABLE | SIZE (MM) L x M x H | WEIGHT    |           |
|-----------|-----------------------|----------|---------------------|-----------|-----------|
|           |                       |          |                     | ALUM.     | TOTAL     |
| ADC/IP-10 | FULL GLASS WITH CLAMP | 10 WATT  | 116 x 87 x 11       | 0.080 Kg. | 0.190 Kg. |

### ADC/IP-20



| MODEL No. | FIXTURES TYPE         | SUITABLE | SIZE (MM) L x M x H | WEIGHT    |           |
|-----------|-----------------------|----------|---------------------|-----------|-----------|
|           |                       |          |                     | ALUM.     | TOTAL     |
| ADC/IP-20 | FULL GLASS WITH CLAMP | 20 WATT  | 176 x 136 x 11      | 0.143 Kg. | 0.385 Kg. |

**ADC/IP-30**





| MODEL No. | FIXTURES TYPE         | SUITABLE      | SIZE (MM) L x M x H | WEIGHT    |           |
|-----------|-----------------------|---------------|---------------------|-----------|-----------|
|           |                       |               |                     | ALUM.     | TOTAL     |
| ADC/IP-30 | FULL GLASS WITH CLAMP | 30 to 50 WATT | 120 x 180 x 10      | 0.255 Kg. | 0.664 Kg. |


## OUT DOOR WALL LIGHT FIXTURES




| Sr. No. | MODEL NAME                                            | SUITABLE |
|---------|-------------------------------------------------------|----------|
| 1.      | WALL LIGHT FULL-K WITH BACK COVER PLASTIC & ALUMINIUM | 12 WATT  |
| 2.      | WALL LIGHT HALF-K WITH BACK COVER PLASTIC & ALUMINIUM | 6 WATT   |
| 3.      | WALL LIGHT 2 WAY WITH BACK COVER PLASTIC & ALUMINIUM  | 4 WATT   |



**OUT DOOR WALL LIGHT**



**K TYPE OUT DOOR WALL LIGHT**




**OUT DOOR WALL LIGHT**


## OUT DOOR WALL LIGHT FIXTURES



| Sr. No. | MODEL NAME                                               | SUITABLE |
|---------|----------------------------------------------------------|----------|
| 1.      | WALL LIGHT SMALL 4 WAY WITH BACK COVER PLASTIC           | 8 WATT   |
| 2.      | WALL LIGHT BIG 4 WAY WITH BACK COVER PLASTIC & ALUMINIUM | 12 WATT  |



**OUT DOOR WALL LIGHT SMALL 4 WAY**





**OUT DOOR WALL LIGHT BIG 4 WAY**



## OUT DOOR WALL LIGHT FIXTURES





| Sr. No. | MODEL NAME                                     | SUITABLE      |
|---------|------------------------------------------------|---------------|
| 1.      | WALL LIGHT 1 WAY ROUND WITH BACK COVER PLASTIC | 3 to 6 WATT   |
| 2.      | WALL LIGHT 2 WAY ROUND WITH BACK COVER PLASTIC | 8 to 12 WATT  |
| 3.      | WALL LIGHT 3 WAY ROUND WITH BACK COVER PLASTIC | 12 to 18 WATT |



WALL LIGHT 1 WAY ROUND




WALL LIGHT 2 WAY ROUND




WALL LIGHT 3 WAY ROUND

## BEACON




| MODEL No.                     | SUITABLE   |
|-------------------------------|------------|
| BEACON BOLLARD LIGHT FIXTURES | 10-15 WATT |

## MINI MUSHROOM



| MODEL No.                            | SUITABLE   |
|--------------------------------------|------------|
| MINI MUSHROOM BOLLARD LIGHT FIXTURES | 15-20 WATT |


## BIG MUSHROOM



| MODEL No.                           | SUITABLE   |
|-------------------------------------|------------|
| BIG MUSHROOM BOLLARD LIGHT FIXTURES | 15-20 WATT |




### ADC/CD-1001




| MODEL No.   | FIXTURES TYPE | SUITABLE |
|-------------|---------------|----------|
| ADC-CD-1001 | ALUMINIUM     | 3 WATT   |

### ADC/CD-1002



| MODEL No.   | FIXTURES TYPE | SUITABLE |
|-------------|---------------|----------|
| ADC-CD-1002 | ALUMINIUM     | 7 WATT   |

### ADC/CD-1003




| MODEL No.   | FIXTURES TYPE | SUITABLE |
|-------------|---------------|----------|
| ADC-CD-1003 | ALUMINIUM     | 10 WATT  |


## LED BULKHEAD LIGHT FIXTURES




| Sr. No. | MODEL No.  | FIXTURES TYPE    | SUITABLE     | WEIGHT    |           |
|---------|------------|------------------|--------------|-----------|-----------|
|         |            |                  |              | ALUM.     | TOTAL     |
| 1.      | ADC/BF-201 | PC GLASS         | 6 to 12 WATT | 0.200 Kg. | 0.330 Kg. |
| 2.      | ADC/BF-202 | GLASS WITH CLAMP | 6 to 12 WATT | 0.200 Kg. | 0.490 Kg. |
| 3.      | ADC/BF-203 | PC GLASS         | 6 to 12 WATT | 0.190 Kg. | 0.270 Kg. |
| 4.      | ADC/BF-204 | PC GLASS         | 6 to 12 WATT | 0.228 Kg. | 0.286 Kg. |
| 5.      | ADC/BF-205 | PC GLASS         | 6 to 12 WATT | 0.228 Kg. | 0.286 Kg. |
| 6.      | ADC/BF-206 | PC GLASS         | 6 to 12 WATT | 0.242 Kg. | 0.298 Kg. |
| 7.      | ADC/BF-207 | PC GLASS         | 6 to 12 WATT | 0.297 Kg. | 0.364 Kg. |
| 8.      | ADC/BF-208 | PC GLASS         | 6 to 12 WATT | 0.302 Kg. | 0.370 Kg. |




ADC/BF-201 / ADC/BF-202



ADC/BF-203



ADC/BF-204 / ADC/BF-205  
ADC/BF-206



ADC/BF-207 / ADC/BF-208




| Sr. No. | MODEL No.                | SUITABLE      |
|---------|--------------------------|---------------|
| 1.      | ADC/GLF - 001            | 12 to 18 WATT |
| 2.      | ADC/GLF - 003 (PC COVER) | 7 to 12 WATT  |
| 3.      | ADC/GLF - 005 (CRYSTAL)  | 7 to 12 WATT  |



## BRACKET PIPES & ACCESSORIES



| Sr. No. | MODEL No.    | PIPE DIA                                 | SUITABLE       | WEIGHT / LENGTH |
|---------|--------------|------------------------------------------|----------------|-----------------|
| 1.      | ADC/MB - 901 | ID 33 x OD 37 (MM)                       | 12 to 18 WATT  | 0.420 Kg.       |
| 2.      | ADC/MB - 902 | ID 49 x OD 53 (MM)                       | 40 to 160 WATT | 0.460 Kg.       |
| 3.      | ADC/MB - 903 | ID 33 x OD 37 (MM)<br>ID 49 x OD 53 (MM) | 40 to 160 WATT | 0.480 Kg.       |
| 4.      | ADC/PP - 401 | ID 31 x OD 34 (MM)                       | 9 to 40 WATT   | 18"             |
| 5.      | ADC/PP - 402 | ID 47 x OD 50 (MM)                       | 40 to 160 WATT | 24"             |



| Sr. No. | MODEL No.       | INTERNAL SIZE  | EXTERNAL SIZE  |
|---------|-----------------|----------------|----------------|
| 1.      | ASTRO TIMER BOX | 145 x 145 (MM) | 158 x 158 (MM) |
| 2.      | SPID BOX        | 81 x 31 (MM)   | 84 x 33.5 (MM) |



| Sr. No. | MODEL NAME               | SUITABLE      |
|---------|--------------------------|---------------|
| 1.      | PLASTIC LED STREET LIGHT | 24 to 36 WATT |


A Complete Solution for LED Lighting Fixtures

## LED PLASTIC BULKHEAD LIGHT FIXTURES

ADC/PBF-301




| MODEL No.   | SUITABLE     |
|-------------|--------------|
| ADC/PBF-301 | 6 to 12 WATT |




## LED PLASTIC ECONOMY BULK HEAD



| Sr. No. | MODEL No.         | SIZE  | SUITABLE |
|---------|-------------------|-------|----------|
| 1.      | ECONOMY BULK HEAD | SMALL | 9 WATT   |
| 2.      | ECONOMY BULK HEAD | BIG   | 18 WATT  |



**ECONOMY BULK HEAD - BIG**




**ECONOMY BULK HEAD - SMALL**

## LED PLASTIC CONCEALED LIGHT FIXTURES

### ADC/PCD-501




| MODEL No.   | SUITABLE |
|-------------|----------|
| ADC/PCD-501 | 3 WATT   |



### ADC/PCD-502




| MODEL No.   | SUITABLE    |
|-------------|-------------|
| ADC/PCD-502 | 5 to 7 WATT |



### ADC/PCD-503




| MODEL No.   | SUITABLE    |
|-------------|-------------|
| ADC/PCD-503 | 6 to 8 WATT |



### ADC/PCD-504




| MODEL No.   | SUITABLE |
|-------------|----------|
| ADC/PCD-504 | 9 WATT   |



### ADC/PCD-505




| MODEL No.   | SUITABLE |
|-------------|----------|
| ADC/PCD-505 | 3 WATT   |



### ADC/PCD-506



| MODEL No.   | SUITABLE |
|-------------|----------|
| ADC/PCD-506 | 3 WATT   |







| Sr. No. | MODEL No.    | SUITABLE      | SIZE   |
|---------|--------------|---------------|--------|
| 1.      | ADC/PSPR-600 | 6 to 9 WATT   | 4 Inch |
| 2.      | ADC/PSPR-601 | 12 to 15 WATT | 6 Inch |
| 3.      | ADC/PSPR-602 | 18 to 22 WATT | 8 Inch |




## LED PLASTIC SLIM ROUND PANEL FITTINGS



**ADC/PSPR-600**



**ADC/PSPR-601**




**ADC/PSPR-602**


## LED PLASTIC SLIM SQUARE PANEL FITTINGS



| Sr. No. | MODEL No.    | SUITABLE      | SIZE   |
|---------|--------------|---------------|--------|
| 1.      | ADC/PSPR-700 | 6 to 9 WATT   | 4 Inch |
| 2.      | ADC/PSPR-701 | 12 to 15 WATT | 6 Inch |
| 3.      | ADC/PSPR-702 | 18 to 22 WATT | 8 Inch |




**ADC/PSPS-700**



SQUARE DOOM LIGHT -6"

**ADC/PSPS-701**




SQUARE DOOM LIGHT -8"



**ADC/PSPS-702**

**LED PLASTIC FAN LIGHT  
FIXTURES**



| MODEL No.    | FIXTURES TYPE  | FOLDING ANGLE | SUITABLE      |
|--------------|----------------|---------------|---------------|
| ADC/PFLF-800 | FOLDABLE WINGS | 90 DEGREE     | 18 to 36 WATT |






| Sr. No. | MODEL NAME                        | SUITABLE |
|---------|-----------------------------------|----------|
| 1.      | STRIKER LED SURFACE LIGHT - SMALL | 3 WATT   |
| 2.      | STRIKER LED SURFACE LIGHT - BIG   | 6 WATT   |



| Sr. No. | MODEL NAME                               | SUITABLE |
|---------|------------------------------------------|----------|
| 1.      | STRIKER LED SURFACE LIGHT - SMALL SQUARE | 3 WATT   |



# PRECESS FLOW



**INGOTS**



**N<sub>2</sub> DEGASSING**



**MATERIAL TRANSFER**



**DEGASSING**



**HPDC MACHINE**



**LANCER**



**SPM**



**VMC**



**POWDER COATING**



**FINAL INSP.**



**PACKING**



**DISPATCH**

## MANUFACTURING FACILITY



## FULLY CONVEYORISED POWDER COATING PLANT



PRE-TREATMENT / PHOSPHATING PLANT



PRE-HEATING / BAKING OVEN

## ALIGARH DIE CASTING PVT. LTD. TEAM



## OUR VALUABLE CUSTOMER

**HALONIX**

**PHILIPS**



**BAJAJ**  
Electricals



**orient**  
electric





AN ISO 9001 : 2015 CERTIFIED CO.



All **LED** Lighting Fixtures are casted from ADC-12 alloy and are equipped with stainless steel bolts, nuts, screws, best quality silicon sponge gasket, cable glands, toughened glass/poly carbonate glass, individual corrugated box packing with shock proof thermacol sheet.

AN ISO 9001 : 2015 CERTIFIED CO.

## **ALIGARH DIE CASTING PVT. LTD.**

Mfr's Caster's - Aluminium Articles & LED Fixtures  
Head Office : 19/154, R.K. Puram, Agra Road  
Aligarh 202001 (U.P.)

Factory : Vill. Ram nagar, Post Mahua, 10 km Mile Stone  
Aligarh, Mathura Road, Aligarh  
E-mail : [info@aligarhdiecasting.com](mailto:info@aligarhdiecasting.com) | Website : [www.aligarhdiecasting.com](http://www.aligarhdiecasting.com)  
Mob.: +91 9837092220, 7088990777, 7078051042



DOWNLOAD  
CATALOGUE

